Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33822	doub\$3 with sign\$3 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 09:02
L2	226	"713"/\$.ccls. and doub\$3 with sign\$3 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 12:23
L3	67	"713"/\$.ccls. and doub\$3 adj4 sign\$3 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18·09:43
L4	26	multiple with signatures! same keys! and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 09:46
L5	0	multiple with hashs! same keys! and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 09:46
L6	0	multiple with hashs! and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 09:46
L7	9	multiple with hashes! and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 09:48
L8	43	triple with hash\$3 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 10:12
L9	47	triple with signatur\$3 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 11:06
L10	1	("5553145").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/18 12:23
L11	8	post adj office with digital adj signature and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18-12:25
L12	257	packet with hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 12:25

L13	119	packet adj3 hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 12:25
L14	27	"713"/\$.ccls. and packet adj3 hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:09
L15	2	"726"/\$.ccls. and packet adj3 hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:12
L16	0	"726"/\$.ccls. and packet adj4 hash adj3 crc and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:13
L17	0	packet adj4 hash adj3 crc and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:13
L18	811	packet adj4 crc and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:13
L19	2	packet adj4 crc with hash and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:38
L20	500	packet adj2 crc and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 13:39
L21	122	divi\$5 with data with (signature or hash) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:19
L22	1950332	stream same hash or sign\$5 and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:19
L23	48502	stream same (hash or sign\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:20
L24	22754	"713"/\$.ccls. andstream same (hash or sign\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:20

L25	719	"713"/\$.ccls. and stream same (hash or sign\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:44
L26	450	"713"/\$.ccls. and stream with (hash or sign\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 15:00
L27	117	"713"/\$.ccls. and digital with stream with (hash or sign\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 14:51
L28	83	"713"/\$.ccls. and stream with (hash or signat\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 15:46
L29	795	stream with (hash or signat\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 15:00
L30	79	"380"/\$.ccls. and stream with (hash or signat\$5) and @ad<"19990330"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/18 15:47
L31	1	("5604801").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/18 17:53